

FIG. 2




FIG. 3




FIG. 4





FIG. 5A






FIG. 5C





FIG. 5D

FIG. 5E







FIG. 6







FIG. 7







FIG. 8






FIG. 9




FIG. 10





FIG. 11

_ _]






FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18








FIG. 19












FIGURE 21C





FIGURE 21D






FIGURE 22C





FIGURE 22D






FIGURE 23C





FIGURE 23D






FIGURE 24C




FIGURE 24D

FIGURE 25A








FIGURE 25B




















Figure 29


Flow Adsorption of S59 from 100% Plasma using Rezorian A161 (5 mL cartridge)







PT, aPTT, TT COAGULATION FUNCTION AFTER S-59 PCD AND S-59 REMOVAL



FACTOR V, FACTOR VIII AND FACTOR IX ACTIVITY AFTER S-59 PCD AND S-59 REMOVAL FACTOR VIII FACTOR IX 3 FACTOR V = t-butyl HIC + 0 <14% = XAD·4 = XAD·16 ග **∀** മ ଓ FIG. B + 3J $\mathbf{\alpha}$ A + 3J S ⋖ CRTL 110 100 o -06 % ACTIVITY % 5 % % 40 30 80 20 0




Figure 31





Figure 32






FIG. 34A




FIG. 34B




FIG. 35A





FIG. 35B






FIG. 37

Manufacture of Port Seal Subassembly		Manufacture of Filled Mesh Pouch	
A1 Mesh (PL 1144 Plastic) arrives cleaned and cut to final dimension	0	B1 Mesh (PL 1144 Plastic) arrives cleaned and cut to final dimension	0
A2 Mesh is folded longitudely and sealed transversely forming port filter open on one end		B2 Mesh is folded longitudely and sealed transversely forming mesh bag, open on one end	
A3 Port filter is sealed to port bushing completing port seal subassembly		B3 Mesh pouch is precision filled by weight with adsorbent beads and sealed closed	
		B4 Pouches are cleaned in vacuum and subject to 100% inspection	

FIG. 38A




FIG. 38B




FIG. 39




Figure 40




FIG. 41A




FIG. 41B




FIG. 41C




Figure 42




Figure 43

Figure 44






FIG. 45



Configuration A



Configuration B




FIG. 47




FIG. 48

_ J

